


## 1. Product and Company Identification

**Product Name** LYSOL® Brand III Disinfectant Spray (all sizes, all scents)  
**CAS #** Mixture  
**Product Use** Disinfectant  
**Distributed by** Reckitt Benckiser (Canada) Inc.  
 1680 Tech Avenue Unit #2  
 Mississauga, ON L4W 5S9  
 In Case of Emergency: 1-800-338-6167  
 Transportation Emergencies: 24 Hour Number:  
 North America: CHEMTREC: 1-800-424-9300  
 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	* 1
Flammability	3
Physical Hazard	0
Personal Protection	B



## 2. Hazards Identification

### Emergency Overview

This product is regulated by Health Canada as a disinfectant. Extensive testing has been completed to show that it is safe and effective when used as directed.

#### DANGER

EXTREMELY FLAMMABLE. CONTAINER MAY EXPLODE IF HEATED.

PRECAUTIONS: CONTENTS UNDER PRESSURE. DO NOT use in presence of open flame or spark. DO NOT puncture or incinerate container or store at temperatures over 50°C. DO NOT use on polished wood furniture, rayon fabrics, or acrylic plastics. Avoid contact with eyes and food.

Keep out of reach of children.

### Potential short term health effects

#### Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

#### Eyes

Causes moderate eye irritation.

#### Skin

Moderately irritating to the skin.

#### Inhalation

None expected during normal conditions of use.

However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.

#### Ingestion

Contains denatured ethyl alcohol. May be harmful if swallowed.

### Target organs

Blood. Liver. Respiratory system. Central nervous system. Heart.

### Chronic effects

Prolonged or repeated exposure can cause drying, defatting and dermatitis.

### Signs and symptoms

Symptoms may include redness, oedema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

### Potential environmental effects

Components of this product have been identified as having potential environmental concerns.

## 3. Composition/Information on Ingredients

Ingredient(s)	CAS #	Percent
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not Applicable	0 - 0.1
Propane	74-98-6	1 - 5
Butane	106-97-8	3 - 7
Ethanol	64-17-5	40 - 70

---

## 4. First Aid Measures

---

### First aid procedures

**Eye contact** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician if irritation persists.

**Skin contact** Wash off immediately with soap and plenty of water for at least 15 minutes. All contaminated clothes and shoes are to be removed and washed before reuse. If symptoms persist, call a physician.

**Inhalation** Move exposed person to fresh air. Get medical attention immediately.

**Ingestion** If swallowed, call physician or Poison Control Centre immediately.

**Notes to physician** Contains denatured ethanol; ingestion may result in ethanol poisoning. Symptoms may be delayed. Treat patient symptomatically.

**General advice** Do not puncture or incinerate container. Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

---

## 5. Fire-fighting Measures

---

**Flammable properties** Flammable aerosol by flame projection test.  
Aerosol flame extension less than 18 inches (45 cm).  
Containers may explode when heated.  
  
NFPA AEROSOL LEVEL: Flammability Rating 1, per NFPA 30B

### Extinguishing media

**Suitable extinguishing media** Water spray. Dry chemical. Carbon dioxide.

**Unsuitable extinguishing media** Not available

### Protection of firefighters

**Specific hazards arising from the chemical** Contents under pressure. Pressurized container may explode when exposed to heat or flame. Cool containers with flooding quantities of water until well after fire is out.

**Protective equipment for firefighters** Firefighters should wear full protective clothing including self contained breathing apparatus.

**Hazardous combustion products** May include and are not limited to: Oxides of carbon.

### Explosion data

**Sensitivity to mechanical impact** Not available

**Sensitivity to static discharge** Not available.

---

## 6. Accidental Release Measures

---

**Personal precautions** Keep unnecessary personnel away.  
Do not touch or walk through spilled material.  
Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.  
Keep people away from and upwind of spill/leak.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water.

**Methods for containment** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

**Methods for cleaning up** Before attempting clean up, refer to hazard data given above. Remove sources of ignition. Although the chance of a significant spill or leak is unlikely in aerosol containers, in the event of such an occurrence, absorb spilled material with a non-flammable absorbent such as sand or vermiculite.

---

---

## 7. Handling and Storage

---

<b>Handling</b>	Ensure adequate ventilation. Wear appropriate personal protective equipment when handling this product. Wash hands after handling and before eating. Avoid contact with eyes, skin and clothing. Do not ingest. Avoid breathing vapours or mists of this product. CONTENTS UNDER PRESSURE. DO NOT use in presence of open flame or spark. DO NOT puncture or incinerate container or store at temperatures over 50°C. DO NOT use on polished wood furniture, rayon fabrics, or acrylic plastics. Avoid contact with eyes and food. EXTREMELY FLAMMABLE Contents under pressure. Do not puncture or incinerate container.
<b>Storage</b>	Store in original container in areas inaccessible to small children. STORE IN A COOL PLACE AND AWAY FROM DIRECT SUNLIGHT. Keep away from heat, open flames or other sources of ignition. Do not reuse container. Do not puncture or incinerate container.

NOTE TO PARENTS: Intentional misuse by deliberately concentrating and inhaling aerosol products may be harmful or fatal. Help stop inhalation abuse; for information visit [www.inhalant.org](http://www.inhalant.org).

---

## 8. Exposure Controls / Personal Protection

---

Exposure limit values	
Ingredient(s)	Exposure limit values
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	<b>ACGIH-TLV</b> Not established
Butane	<b>ACGIH-TLV</b> TWA: 1000 ppm
Ethanol	<b>ACGIH-TLV</b> TWA: 1000 ppm STEL: 1000 ppm
Propane	<b>ACGIH-TLV</b> TWA: 1000 ppm
<b>Engineering controls</b>	Provide adequate ventilation.
<b>Personal protective equipment</b>	
<b>Eye/Face protection</b>	Avoid contact with eyes. Tightly fitting safety goggles. Emergency responders should wear full eye and face protection.
<b>Hand protection</b>	Not normally required when used as directed. Avoid contact with the skin. Emergency responders should wear impermeable gloves.
<b>Skin and body protection</b>	As required by employer code.
<b>Respiratory protection</b>	Not normally required if good ventilation is maintained. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2). Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid inhalation of vapours generated by this product during a spill or other clean-up operations.
<b>General hygiene considerations</b>	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Washing with soap and water after use is recommended as good hygienic practice to prevent possible eye irritation from hand contact.

---

## 9. Physical and Chemical Properties

---

<b>Appearance</b>	Misty spray
<b>Colour</b>	Clear

<b>Form</b>	Aerosol.
<b>Odour</b>	Characteristic
<b>Odour threshold</b>	Not available
<b>Physical state</b>	Gas
<b>pH</b>	10.8 - 11.8
<b>Freezing point</b>	Not available
<b>Boiling point</b>	Not available
<b>Pour point</b>	Not available
<b>Evaporation Rate</b>	Not available
<b>Flash point</b>	25.6 °C (78.08 °F)
<b>Auto-ignition temperature</b>	Not available
<b>Flammability limits in air, lower, % by volume</b>	Not available
<b>Flammability Limits in Air, Upper, % by Volume</b>	Not available
<b>Vapour pressure</b>	Not available
<b>Vapour density</b>	Not available
<b>Specific gravity</b>	0.882 @ 25°C (Concentrate)
<b>Octanol/water coefficient</b>	Not available
<b>Solubility (H2O)</b>	Complete
<b>VOC (Weight %)</b>	Not available
<b>Viscosity</b>	Not available
<b>Percent volatile</b>	Not available

---

## 10. Stability and Reactivity

---

<b>Reactivity</b>	This product may react with strong oxidizing agents.
<b>Possibility of hazardous reactions</b>	Hazardous polymerisation does not occur.
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Conditions to avoid</b>	Heat, open flames, static discharge, sparks and other ignition sources. Aerosol containers are unstable at temperatures above 49°C (120.2°F). Do not freeze Exposure to moisture.
<b>Incompatible materials</b>	Oxidizers.
<b>Hazardous decomposition products</b>	May include and are not limited to: Oxides of carbon.

---

## 11. Toxicological Information

---

### Component analysis - LC50

Ingredient(s)	LC50
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not available
Butane	Not available
Ethanol	31623 ppm rat
Propane	Not available

### Component analysis - Oral LD50

Ingredient(s)	LD50
Alkyl (40% C12, 50% C14, 10% C16) dimethyl benzyl ammonium saccharinate	Not available
Butane	Not available
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Propane	Not available

### Effects of acute exposure

<b>Eye</b>	Causes moderate eye irritation.
<b>Skin</b>	Moderately irritating to the skin.

<b>Inhalation</b>	None expected during normal conditions of use. However intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.
<b>Ingestion</b>	Contains denatured ethyl alcohol. May be harmful if swallowed.
<b>Sensitisation</b>	The finished product is not expected to have chronic health effects.
<b>Chronic effects</b>	The finished product is not expected to have chronic health effects.
<b>Carcinogenicity</b>	The finished product is not expected to have chronic health effects.
<b>ACGIH - Threshold Limit Values - Carcinogens</b>	
Ethanol	64-17-5 A3 - Confirmed animal carcinogen with unknown relevance to humans.
<b>Mutagenicity</b>	The finished product is not expected to have chronic health effects.
<b>Reproductive effects</b>	The finished product is not expected to have chronic health effects.
<b>Teratogenicity</b>	The finished product is not expected to have chronic health effects.
<b>Name of Toxicologically Synergistic Products</b>	Not available

---

## 12. Ecological Information

---

<b>Ecotoxicity</b>	Components of this product have been identified as having potential environmental concerns.	
<b>Ecotoxicity - Freshwater Fish - Acute Toxicity Data</b>		
Ethanol	64-17-5	96 Hr LC50 Oncorhynchus mykiss: 12.0 - 16.0 mL/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400 - 15100 mg/L [flow-through]
<b>Ecotoxicity - Water Flea - Acute Toxicity Data</b>		
Ethanol	64-17-5	48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static]
<b>Persistence and degradability</b>	Not available	
<b>Bioaccumulation/accumulation</b>	Not available	
<b>Mobility in environmental media</b>	Not available	
<b>Environmental effects</b>	Not available	
<b>Aquatic toxicity</b>	Not available	
<b>Partition coefficient</b>	Not available	
<b>Chemical fate information</b>	Not available	
<b>Other adverse effects</b>	Not available	

---

## 13. Disposal Considerations

---

<b>Disposal instructions</b>	Dispose in accordance with all applicable regulations. This container may be recycled in communities where aerosol can recycling is available. Before offering for recycling, empty the can by using product according to the label (DO NOT PUNCTURE OR INCINERATE). If recycling is not available, contact your municipality or provincial Ministry of Environment for disposal information.
<b>Waste from residues / unused products</b>	Not available
<b>Contaminated packaging</b>	Not available

---

## 14. Transport Information

---

### U.S. Department of Transportation (DOT)

UN1950, Aerosols, flammable, Class 2.1 Re-Classed  
as Limited Quantity

### Transportation of Dangerous Goods (TDG - Canada)

UN1950, Aerosols, flammable, Class 2.1 Re-Classed  
as Limited Quantity

### IMDG (Marine Transport)

UN 1950, Aerosols, flammable, Class 2.1

### IATA/ICAO (Air)

UN 1950, Aerosols, Flammable, Limited Quantity or  
Consumer Commodity, ID 8000 if acceptable to airline.

---

## 15. Regulatory Information

---

**Canadian federal regulations** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Product Registration: Registered with TPD, DIN 02279177

**Canada - CEPA - High Priority Chemicals as Identified by DSL Categorization**

Butane 106-97-8 Batch 4, published November 17, 2007

**Canada - WHMIS - Ingredient Disclosure List**

Butane 106-97-8 1 %  
Ethanol 64-17-5 0.1 %

**WHMIS classification** Exempt - Registered product - (DIN 02279177)

**Inventory Status**

Country(s) or region	Inventory Name	On Inventory (Yes/No)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

---

## 16. Other Information

---

**Disclaimer** This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Further information** LYSOL® Brand III Disinfectant Spray - Crisp Linen - 6 oz, 12.5 oz, 19 oz, 350g - 0242193 v 1.0

LYSOL® Brand III Disinfectant Spray - "To Go" Crisp Linen - 1 oz, 28 g - 0242193 v 1.0

LYSOL® Brand III Disinfectant Spray - Spring Waterfall - 12.5 oz, 19 oz, 350g - 0258756 v 1.0

LYSOL® Brand III Disinfectant Spray - Crisp Berry - 12.5 oz, 19 oz, 350g - 0175938 v 1.0

LYSOL® Brand III Disinfectant Spray - Green Apple - 350g - 0175934 v 1.0

LYSOL® Brand III Disinfectant Spray - Country - 350g - 0175919 v 1.0

LYSOL® Brand III Disinfectant Spray - Country Morning Breeze - 350g - 0175929 v 1.0

**Issue date** 01-Mar-2012

**Effective Date** 01-Mar-2012

**Expiry Date** 01-Mar-2015

**Prepared by** Reckitt Benckiser Regulatory Department 800-333-3899

**Other Information** For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.