

SAFETY DATA SHEET Deb Instant Foam

1. Identification

Product identifier

Product name Deb Instant Foam

Product number IFS1TF-US,IFS50ML-US,IFS400ML-US,IFS1L-US

Details of the supplier of the safety data sheet

Supplier Deb USA, Inc.

1100 South Highway 27

Stanley, North Carolina 28164 USA

704-263-4502 (Fax) 704-263-4240

Manufacturer DEB Worldwide Healthcare Inc

76 Adams Boulevard

Brantford Ontario N3S 7V2

Telephone: 519-759-1051 Fax: 519-759-6384

Emergency telephone number

Emergency telephone Chemtrec 800 424 9300 (24 hour)

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Environmental The product contains a substance which has a photochemical ozone creation potential.

Physicochemical The product is highly flammable. Vapors may form explosive mixtures with air.

Other hazards

Flammable liquid and vapor.

3. Composition/information on ingredients

Mixtures

Deb Instant Foam

ETHANOL 60-100%

CAS number: 64-17-5 REACH registration number: 01-

2119457610-43-XXXX

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319

The Full Text for all Hazard Statements are Displayed in Section 16.

Composition comments Alcohol, Water, Bis-PEG 12 Dimethicone, Coco-Glucoside, Glyceryl Oleate, PEG-200

Hydrogenated Glyceryl Palmate. PEG-7 Glyceryl Cocoate, Behentrimonium Chloride,

Dihydroxypropyl PEG-5 Linoleammonium Chloride

4. First-aid measures

Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing.

Ingestion DO NOT induce vomiting. Get medical attention immediately.

Skin Contact Remove contaminated clothing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed

Inhalation No specific symptoms known.

Ingestion May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

Eye contact May cause severe eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

5.Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Special hazards arising from the substance or mixture

Specific hazards FLAMMABLE. Forms explosive mixtures with air.

Hazardous combustion Protection against nuisance dust must be used when the airborne concentration exceeds 10

products mg/m3. Oxides of carbon.

Advice for firefighters

Protective actions during Fight fire from safe distance or protected location. Containers close to fire should be removed

firefighting or cooled with water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Deb Instant Foam

Personal precautions Take precautionary measures against static discharges. No smoking, sparks, flames or other

sources of ignition near spillage. Wear suitable protective clothing as protection against

splashing or contamination. Avoid inhalation of vapors and contact with eyes

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand,

earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Provide adequate ventilation. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste

disposal containers and seal securely.

Reference to other sections For personal protection, see Section 8.

7. Handling and storage

Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a dry, cool and well-ventilated place. Keep away

from heat, sparks and open flame.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

ETHANOL

Short-term exposure limit (15-minute): ACGIH 1000 ppm

A3

Long-term exposure limit (8-hour TWA): OSHA 1000 ppm 1900 mg/m³

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm Short-term exposure limit (15-minute): ACGIH 400 ppm

A4

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists.

A3 = Confirmed Animal Carcinogen with Unknown Relevance to Humans.

OSHA = Occupational Safety and Health Administration.

A4 = Not Classifiable as a Human Carcinogen.

ETHANOL (CAS: 64-17-5)

Deb Instant Foam

DNEL Professional - Inhalation; local effects: 1900 mg/m³ Professional - Dermal; Long

term systemic effects: 343 mg/kg/day Professional - Inhalation; Long term systemic effects: 950 mg/m³ Consumer - Inhalation; local effects: 950 mg/m³ Consumer - Dermal; Long term systemic effects: 206 mg/kg/day Consumer - Inhalation; Long term systemic effects: 114 mg/m³ Consumer - Oral; Long term systemic effects: 87

mg/kg/day

PNEC - Marine water; 0.79 mg/l - Fresh water; 0.96 mg/l - Intermittent release; 2.75 mg/l

- STP; 580 mg/l - Sediment (Freshwater); 3.46 mg/kg - Sediment (Marinewater);

2.9 mg/l - Soil; 0.63 mg/kg

Immediate danger to life

and health

3300 ppm

C20-22-ALKYLTRIMETHYLAMMONIUM CHLORIDES (CAS: 68607-24-9)

DNEL Workers - Inhalation; Long term systemic effects: 0.49 mg/m³ Workers - Dermal;

Long term systemic effects: 1.7 mg/kg/day

PNEC - Fresh water; 13 μg/L - Marine water; 1.3 μg/L - Intermittent release; 14 μg/L -

STP; 430 µg/L - Sediment (Freshwater); 1.25 mg/kg - Sediment (Marinewater);

125 μg/L - Soil; 1 mg/kg

PROPAN-2-OL (CAS: 67-63-0)

DNEL Workers - Inhalation; Long term systemic effects: 500 mg/m³ Workers - Dermal;

Short term systemic effects: 888 mg/kg/day General population - Inhalation; Long term systemic effects: 89 mg/m³ General population - Dermal; Long term systemic effects: 319 mg/kg/day General population - Oral; Long term systemic effects: 26

mg/kg/day

PNEC - Fresh water; 140.9 mg/l - Marine water; 140.9 mg/l - Intermittent release; 140.9

mg/I - STP; 2251 mg/I - Sediment (Freshwater); 552 mg/kg - Sediment

(Marinewater); 552 mg/kg - Soil; 28 mg/kg

Immediate danger to life

and health

2000 ppm

Exposure controls

Protective equipment



Appropriate engineering

controls

Not relevant.

Eye/face protection Not required normally but wear eye protection if you are conducting an operation where there

is a risk of this product getting in the eyes.

Hand protection Not applicable.

Hygiene measures DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes

contaminated.

Respiratory protection Not relevant.

9. Physical and Chemical Properties

Deb Instant Foam

Information on basic physical and chemical properties

Appearance Clear liquid.

Color Colorless.

Odor Alcoholic.

pH (concentrated solution): 5.0-7.5

Melting point Not Applicable °C

Initial boiling point and range 78°C @

Flash point 23°C TCC (Tag closed cup).

Evaporation rate 1.4 (water =1)

Vapour pressure Not Available @ °C

Vapour density Not available

Relative density 0.858 - 0.866 g/mL @ 25C°C

Other information None.

Volatility 70-80

Volatile organic compound This product contains a maximum VOC content of 70-80%.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous

reactions

Not known.

Conditions to avoid Avoid heat, flames and other sources of ignition.

Materials to avoid Oxidising Agents Aluminium

Hazardous decomposition

products

Protection against nuisance dust must be used when the airborne concentration exceeds 10

mg/m3. Oxides of carbon.

11. Toxicological information

Information on toxicological effects

Toxicological effects No data recorded.

General information No specific health hazards known.

Inhalation No specific health hazards known.

Ingestion May cause nausea, headache, dizziness and intoxication.

Skin Contact Skin irritation should not occur when used as recommended.

Eye contact Causes eye irritation

12. Ecological Information

Deb Instant Foam

Ecotoxicity The product is not expected to be toxic to aquatic organisms.

Persistance and degradability

Persistence and degradability The product is biodegradable.

Bioaccumulative potential

Bio-Accumulative Potential The product is not bioaccumulating.

Mobility in soil

Mobility The product is soluble in water.

Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered. Wear suitable protective clothing as protection against splashing or

contamination.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

14. Transport information

UN Number

UN No. (DOT) 1987 UN No. (IMDG) 1987

UN No. (ICAO) 1987

UN proper shipping name

Proper shipping name (DOT) ALCOHOLS, N.O.S.

Proper shipping name

(IMDG)

ALCOHOLS, N.O.S.

Proper shipping name (ICAO) ALCOHOLS, N.O.S.

Transport hazard class(es)

DOT hazard class 3

DOT hazard label Flammable Liquid

TDG class 3

TDG label 3

IMDG Class 3

ICAO class/division 3

Deb Instant Foam

Transport labels



Packing group

DOT pack group || IMDG packing group || II

Special precautions for user

ICAO packing group

EmS F-E, S-D

15. Regulatory information

Regulatory Status TSCA: The ingredients of this product are on the TSCA Inventory. This product is

manufactured and labeled in compliance with the Federal Food, Drug, and Cosmetic Act, and is exempt from the labeling requirements of the OSHA Hazard Communication Standard.

16. Other information

Revision comments New SDS Software Revision of information

Ш

Revision date 5/28/2015

Revision 3

Supersedes date 14/06/2013

SDS No. 11446

Signature Deb Worldwide Healthcare Inc.

Hazard statements in full H225 Highly flammable liquid and vapor.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.