

MURIATIC ACID


Material Safety Data Sheet

Emergency 24 Hour Telephone: CHEMTREC 800.424.9300

Manufacture: RoyalPak.

1870 Albion Road #3 Etobicoke, Ontario

Telephone 416-746-4226 Fax 416-746-8291



IDENTIFICATION OF PRODUCT		
Product Name:	HASA MURIATIC ACID	
Common Chemical Names:	31.45% Hydrochloric Acid, HCI	
Chemical Names of Ingredients:	Hydrogen Chloride, Water	
Chemical Family:	Inorganic Acid	
CAS Registry Number:	7647-01-0	
Empirical Formula:	HCI	
Molecular Weight:	36.46 [Hydrogen Chloride]	

PHYSICAL AND CHEMICAL PROPERTIES ¹			
Vapor Pressure:	35 mm Hg at 25°C [77°F]	Flash Point:	Not Applicable.
Weight/Gallon:	9.6 lbs [4.4 kg]	pH: 1% solution less than 1.0	
Density [liquid]:	1.16 at 15.6°C [64°F]	Odor: Irritating, pungent, acidic	
Bulk Density:	Not Applicable.	Boiling Point:	83°C [181.4°F] at 760mm Hg
Melting Point:	Not Applicable.	Freezing Point: -46°C [-50.8°F]	
Physical State:	Solution	Color:	Straw Yellow to water white
Solubility in Water:	Complete	Stability:	Stable

PHYSICAL HAZARDS		
Potential for Fire:	Nonflammable	
Potential for Explosion:	Forms flammable hydrogen gas on contact with metals.	
Reactivity:	Will react with caustic materials, oxidizing materials and metals [zinc, galvanized iron, brass, aluminum, copper and copper alloys, etc.] Hazardous polymerization will not occur.	
Extinguishing Media:	Use water spray or fog nozzle to keep containers cool.	
Fire Fighting Procedures:	Wear self-contained breathing apparatus and protective clothing.	

Date: January 2017 Page 1 of 4



HEALTH HAZARDS		
Signs and Symptoms of Exposure:	Eyes and skin burns. Not a skin sensitizer.	
Medical Conditions Aggravated by Exposure:	No data available.	
Oral [ingestion] LD ₅₀ :	900 mg/kg ² [rat]	
Dermal [skin absorption] LD ₅₀ :	No data available.	
Inhalation [breathing] LC ₅₀ :	3124 ppm [1 hour, rat] ³	
Eye Irritation:	Corrosive. Will burn eyes on contact.4	
Skin Irritation:	Corrosive. Not considered to be a skin sensitizer. ⁵	
OSHA PEL:	5 ppm [ceiling] ⁶	
ACGIH TLV/TWA:	5 ppm [as HCl] ⁷	

POTENTIAL ROUTE [S] OF ENTRY	
Inhalation [Breathing]:	Inhalation of fumes.
Dermal [Skin]:	Liquid contact.
Eyes:	Fumes and/or liquid contact.
Ingestion:	Swallowing of liquid.

AQUATIC AND ENVIRONMENTAL TOXICITY	
96-hour LC ₅₀ [Mosquito Fish]:	282 mg/l ⁸
96-hour LC ₅₀ [Blue Gill]:	100% pH lowered to 3.69

CARCINOGENIC [CANCER POTENTIAL] INFORMATION	
No evidence of bone, lung, or nasal tumors found in rats chronically exposed to HCl vapors. 10	
National Toxicological Program [NTP] Sixth Annual Report on Carcinogens:	
International Agency for Research on Cancer [IARC] Monographs, V. 1-53, Supps. 1-8:	
Listed by Federal OSHA as Carcinogens:	Not listed.
Safe Drinking Water and Toxic Enforcement Act of 1986 [Proposition 65, California only]:	Not listed.

GENERAL PRECAUTIONS FOR SAFE USE AND HANDLING

Store in a cool, dry place. Do not mix with alkaline materials or metals. Keep container closed and protected against physical damage. Separate from incompatible materials in storage areas. Store separated from oxidizers. Keep containers closed when not in use. Keep out of the reach of children.

PERSONAL PROTECTION AND HYGIENE

Wear rubber gloves and eye protection when handling. Goggles should be vapor proof. Wash hands after handling. Provide ventilation for storage and use areas. Wear impervious clothing when handling and using this product. Do not breathe vapor. Avoid contact with skin and clothing.

CLEAN-UP OF SPILLS

Neutralize liquid with soda ash, sodium sesquicarbonate, slaked lime, or sodium bicarbonate and flush to a sanitary sewer.

Date: January 2017 Page 2 of 4



FIRST AID		
Eye Contact:	Flush with water. Remove contact lenses [if applicable]. Hold eyelids open. Continue	
	flushing with water for 15 minutes. Get prompt medical attention.	
Skin Contact:	Wash affected area with water for 15 minutes. Get medical attention.	
Ingestion	Drink large quantities of water. DO NOT induce vomiting. Call a physician or poison control	
[swallowing]:	center immediately.	
Inhalation:	Move to a safe area. If not breathing, give artificial respiration. Call a physician immediately.	

FEDERAL/STATE LISTS/REGISTRATION/S/REPORTING REQUIREMENTS		
CERCLA Hazardous Substance [Section 1010 [4], P.L. 96-510]:	RQ 5,000 lbs [17,100 gallons based on HCl in solution]	
Extremely Hazardous Substance [40 CFR 355, Appendix A]:	Not listed.	
Pesticide Product 7 U.S.C. 136 et seq.:	Not registered.	
Toxic Substance under TSCA:	Yes	
Pesticide Product [various State Laws]: Not used for pesticidal purposes.		
Department of Agriculture:	GRAS when used in accordance with good manufacturing practices.	

MATERIAL CLASSIFICATION		
OSHA Hazard Communication Standard, Department of Labor,	Corrosive Liquid	
Occupational Safety and Health Division, 29 CFR 1910.1200:		
Department of Transportation CFR 49 Shipping Description:	Hydrochloric Acid, 8, UN 1789, P.G. II	
	[4-1 gallon returnable bottles in plastic	
	crate add "DOT-E-6614" after "P.G. II."]	

National Fire Protection Association NFPA 704 [1990]:	3-0-0
BOCA National Fire Prevention Code/National Building Code [1999editions]:	Corrosive Liquid
Standard Fire Prevention Code/Standard Building Code [1997 editions]:	Corrosive Liquid
Uniform Fire Code/Uniform Building Code [1997 editions]:	Corrosive Liquid
Uniform Fire Code Standards 79-3, Uniform Fire Code, V. II [1997 edition]:	3-0-0

Date: January 2017 Page 3 of 4



Date: January 2017 Page 4 of 4