SAFETY DATA SHEET

LIFT



Section 1. Identification

GHS product identifier	: LIFT		
Product code	: 11606330, 2164020, 2164100, 2164	205	
SDS #	: MS0100462		
Other means of identification	: Not available.		
Product type	: Liquid.		
Relevant identified uses o	<u>f the substance or mixture and uses adv</u>	<u>rised against</u>	
Identified uses	: Alkaline Cleaner This product is intended to be diluted prior to use		
Supplier/Manufacturer	: DuBois Chemicals, Inc. 3630 E. Kemper Road Cincinnati, Ohio 45241 Phone: 1-800-438-2647	DuBois Chemicals Canada, Inc. 1155 North Service Road West Unit 6 Oakville, Ontario, L6M 3E3 Canada Phone: 1-866-861-3603	
Emergency telephone number	: 1-866-923-4919 (US and Canada) 01-651-523-0314 (Int'l and Mexico)		

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the	: CORROSIVE TO METALS Category 1
substance or mixture	SKIN CORROSION/IRRITATION - Category 1
	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: May be corrosive to metals.
	Causes severe skin burns and eye damage.
Precautionary statements	
Prevention	: Wear eye/face protection. Wear protective gloves. Wear protective clothing. Avoid breathing vapor or mist. Wash hands thoroughly after handling.
Response	: Absorb spillage to prevent material damage. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
Storage	: Store locked up. Store in corrosive resistant container with a resistant inner liner.
Disposal	 Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

Date of issue/Date of revision

Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
2-butoxyethanol	1 - 5	111-76-2
sodium hydroxide	1 - 5	1310-73-2

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	et medical attention immediately. Call a poison center or physician. In es with plenty of water, occasionally lifting the upper and lower eyelids move any contact lenses. Continue to rinse for at least 10 minutes. C ust be treated promptly by a physician.	s. Check for and
Inhalation	et medical attention immediately. Call a poison center or physician. F sh air and keep at rest in a position comfortable for breathing. If it is mes are still present, the rescuer should wear an appropriate mask or eathing apparatus. If not breathing, if breathing is irregular or if respir curs, provide artificial respiration or oxygen by trained personnel. It m ngerous to the person providing aid to give mouth-to-mouth resuscita conscious, place in recovery position and get medical attention imme open airway. Loosen tight clothing such as a collar, tie, belt or waistl	suspected that self-contained atory arrest nay be tion. If diately. Maintain
Skin contact	et medical attention immediately. Call a poison center or physician. F ntaminated skin with plenty of water. Remove contaminated clothing ash contaminated clothing thoroughly with water before removing it, o ontinue to rinse for at least 10 minutes. Chemical burns must be treat ysician. Wash clothing before reuse. Clean shoes thoroughly before	and shoes. r wear gloves. ed promptly by a
Ingestion	et medical attention immediately. Call a poison center or physician. V th water. Remove dentures if any. Remove victim to fresh air and ke sition comfortable for breathing. If material has been swallowed and rson is conscious, give small quantities of water to drink. Stop if the e els sick as vomiting may be dangerous. Do not induce vomiting unles by medical personnel. If vomiting occurs, the head should be kept lo es not enter the lungs. Chemical burns must be treated promptly by a ever give anything by mouth to an unconscious person. If unconsciou covery position and get medical attention immediately. Maintain an op osen tight clothing such as a collar, tie, belt or waistband.	ep at rest in a the exposed exposed person s directed to do w so that vomit a physician. s, place in
Most important symptoms/ef	acute and delayed	
Potential acute health effect		
Eye contact	auses serious eye damage.	
Inhalation	ay give off gas, vapor or dust that is very irritating or corrosive to the restem.	espiratory
Skin contact	auses severe burns.	
Ingestion	ay cause burns to mouth, throat and stomach.	
Over-exposure signs/sympton		
Eye contact	lverse symptoms may include the following: in itering dness	
Inhalation	o specific data.	

Section 4. First aid measures

Skin contact	: Adverse symptoms may include the following: pain or irritation redness blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains
Indication of immediate medic	al attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
See toxicological information	(Section 11)

Section 5. Fire-fighting measures

Extinguishing media

LIFT

Exanguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide sulfur oxides phosphorus oxides metal oxide/oxides
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Absorb spillage to prevent material damage. Dispose of via a licensed waste disposal contractor.
Large spill	:	Stop leak if without risk. Move containers from spill area. Absorb spillage to prevent material damage. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Handling	 Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container. Absorb spillage to prevent material damage.
Storage	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	CAS #	ACGIH	OSHA	Mexico		
2-butoxyethanol	111-76-2	TWA: 20 ppm 8 hours.	TWA: 50 ppm 8 hours. TWA: 240 mg/m³ 8 hours.	LMPE-PPT: 26 ppm 8 hours. LMPE-PPT: 120 mg/m ³ 8 hours. LMPE-CT: 360 mg/m ³ 15 minutes. LMPE-CT: 75 ppm 15 minutes.		
sodium hydroxide	1310-73-2	C: 2 mg/m³	TWA: 2 mg/m ³ 8 hours.	LMPE-Pico: 2 mg/m ³		
Engineering measures	local exh airborne	aust ventilation or other er contaminants below any re	mes, gas, vapor or mist, us ngineering controls to keep ecommended or statutory li	worker exposure to mits.		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.					
Personal protection						
Respiratory	airfed res based or	spirator complying with an	s necessary, use a properly approved standard. Respir osure levels, the hazards o ator.	ator selection must be		
Hands		all times when handling che	ves complying with an appr emical products if a risk ass			
Eyes	assessm		approved standard should t sary to avoid exposure to lic plash goggles			
Skin	performe		he body should be selected nd should be approved by a			
Environmental exposur controls	they com cases, fu	ply with the requirements	process equipment should of environmental protection igineering modifications to ons to acceptable levels.	legislation. In some		
Date of issue/Date of revision	: 7/20/201	5. Date of previous issue	: 11/18/2014.	Version : 2 4/8		

Section 8. Exposure controls/personal protection

Personal protective equipment (Pictograms)



Section 9. Physical and chemical properties

÷.

<u>Appearance</u>		
Physical state	: Liquid. [Aqueous solution]	
Color	: Clear Blue	
Odor	: Solvent. [Slight]	
Odor threshold	Not available.	
рН	: 12.7	
Melting point	Not available.	
Boiling point	Not available.	
Flash point	Closed cup: Not applicable. [Product does not sustain combustion.]	
Burning time	Not applicable.	
Burning rate	Not applicable.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Lower and upper explosive (flammable) limits	Not available.	
Vapor pressure	Not available.	
Vapor density	Not available.	
Relative density	: 1.039 to 1.079	
Solubility	Easily soluble in the following materials: cold water and hot water.	
Solubility in water	Not available.	
Partition coefficient: n- octanol/water	Not available.	
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Elemental Phosphorus	: 0.8 %	
VOC content	: 4.4 % [Calculated value for the mixture]	

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Extremely reactive or incompatible with the following materials: acids.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

LIFT

Section 10. Stability and reactivity

Storage

LIFT

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in corrosive resistant container with a resistant inner liner. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 11. Toxicological information

Information on toxicological effects

Carcinogenicity Classification

Classification							
Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA	
2-butoxyethanol	A3	3	-	-	-	-	
Information on the likely	:						
routes of exposure		act. Eye conta	ct. Inhalation.				
Potential acute health effects							
Eye contact	: Causes serio						
Inhalation	: May give off system.	gas, vapor or o	lust that is ver	y irritating or co	rrosive to the	respiratory	
Skin contact	: Causes seve	ere burns.					
Ingestion	: May cause b						
Symptoms related to the phy		-					
Eye contact	: Adverse sympain watering redness	ptoms may inc	clude the follow	ving:			
Inhalation	: No specific d	lata.					
Skin contact	: Adverse sym pain or irritat redness blistering ma	ion	lude the follow	ving:			
Ingestion	: Adverse sym stomach pair		clude the follow	ving:			
Delayed and immediate effect	ts and also chro	onic effects fr	om short and	l long term exp	<u>osure</u>		
<u>Short term exposure</u>							
Potential immediate effects	: Not available	9 .					
Potential delayed effects	: Not available) .					
Long term exposure							
Potential immediate effects	: Not available	9 .					
Potential delayed effects	: Not available) .					
Potential chronic health effe	ects						
Not available.							
General	: No known sig	gnificant effects	s or critical ha	zards.			
Carcinogenicity	: No known sig	gnificant effects	s or critical ha	zards.			
Mutagenicity	: No known sig	gnificant effects	s or critical ha	zards.			
Teratogenicity	: No known sig	gnificant effects	s or critical ha	zards.			
Date of issue/Date of revision	: 7/20/2015.	Date of previous	issue :	11/18/2014.	Versior	1 :2	6/8

LIFT

Section 11. Toxicological information

Developmental effects

: No known significant effects or critical hazards.

- Fertility effects
- : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

e
g/kg ng/kg
1.

Section 12. Ecological information

Ecotoxicity

: Not available.

: D002 [corrosive]

Aquatic ecotoxicity

Not available.

Section 13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

RCRA classification

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

IATA/IMDG/DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory information

U.S. Federal regulations	: TSCA 12(b) one-time export: No products were found.	
	TSCA 12(b) annual export notification: No products were found.	
	United States inventory (TSCA 8b): All components are listed or exempted.	
	Clean Water Act (CWA) 311: pentasodium triphosphate; sodium dodecylbenzenesulfonate; sodium hydroxide	
	CERCLA: Hazardous substances.: sodium hydroxide: 1000 lbs. (454 kg); 2-butoxyethanol; sodium dodecylbenzenesulfonate: 1000 lbs. (454 kg);	
EPA Registration Number	: Not available.	
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) SARA 302/304	: Not listed	
Composition/information	on ingredients	
No products were found.		
SARA 304 RQ <u>SARA 311/312</u>	: Not applicable.	
Date of issue/Date of revision	: 7/20/2015. Date of previous issue : 11/18/2014. Version : 2	7/8

Section 15. Regulatory information

Classification

: Immediate (acute) health hazard

SARA 313

	Product name	CAS number	%
Supplier notification	2-butoxyethanol	111-76-2	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed: 2-BUTOXYETHANOL; TRIPHOSPHORIC ACID, PENTASODIUM SALT; SODIUM DODECYLBENZENE SULFONATE; SODIUM HYDROXIDE
New York	:	The following components are listed: Sodium phosphate, tribasic; Sodium dodecylbenzene sulfonate; Dodecylbenzene sulfonate; Sodium hydroxide
New Jersey	:	The following components are listed: 2-BUTOXY ETHANOL; BUTYL CELLOSOLVE; SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; SODIUM HYDROXIDE; CAUSTIC SODA
Pennsylvania	:	The following components are listed: ETHANOL, 2-BUTOXY-; TRIPHOSPHORIC ACID, PENTASODIUM SALT; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; SODIUM HYDROXIDE (NA(OH))
<u>California Prop. 65</u>		
Not available.		
<u>Canada</u>		
<u>Canadian lists</u>		
Canadian NPRI	:	The following components are listed: 2-Butoxyethanol
Canada inventory	:	All components are listed or exempted.
Canadian PCP/DIN Number	:	Not available.
International regulations		
International lists	:	Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Japan inventory: Not determined. Korea inventory: All components are listed or exempted. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Taiwan inventory (CSNN): Not determined.

Section 16. Other information

<u>History</u>	
Date of printing	: 7/20/2015.
Date of issue/Date of revision	: 7/20/2015.
Date of previous issue	: 11/18/2014.
Version	: 2

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

LIFT