A division of Sani-Marc Group

42, rue de l'Artisan

1-819-758-1541

G6P 7E3

Victoriaville, Québec



X-PURE LIQUID HAND ANTIMICROBIAL

1. IDENTIFICATION

Product name * X-PURE LIQUID HAND ANTIMICROBIAL

Product code : 09-12455SPRAY Other means of identification : Not available.

Supplier : Wood Wyant Manufacturer : Wood Wyant A division of Sani-Marc Group

42, rue de l'Artisan Victoriaville, Québec G6P 7E3

1-819-758-1541

Identified uses : Special: Hand Sanitizer Uses advised against : Only use this product as directed. Read label before

Date of issue (YYYY-MM-DD) using. : 2020-03-20

in case of emergency : Emergency phone: CANUTEC (613) 996-6666 (Collect calls accepted)

2. HAZARDS IDENTIFICATION

Information in this section only concerns the product as supplied. Contact your account manager to get more information on diluted form hazards identification.

Product Classification : FLAMMABLE LIQUIDS - Category 2

EYE IRRITATION - Category 2B

Signal word : Danger **Hazard pictograms**

: Highly flammable liquid and vapors. Causes eye irritation.

Precautionary statements

Hazard statements

General : Highly flammable liquid and vapors. Handle with care. Read label before use. Keep out of reach of children.

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only in a well-ventilated area.

Specific protective equipment is suggested for this product. See section 8 for details.

Response Rinse with water. IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical

Storage Highly flammable liquid and vapors. Store away from combustibles, extreme heat and oxidizing agents. See section 7 for more

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Supplemental label elements : Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 21.8%

Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 21.8% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 21.8%

Other hazards which do not result in

: None known.



3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/mixture

: Mixture

Name

ethanol

isopropyl alcohol

CAS number

% (w/w)

64-17-5 67-63-0 30 - 60 30 - 60

Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

Description of required first aid measures

Eve contact

In case of contact with eyes, flush with fresh water. Check for and remove any contact lenses. Continue rinsing. If irritation persists, get

Skin contact

In case of irritation, rinse with water. Get medical attention if irritation persist.

Ingestion

Rinse mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Inhalation

Move victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if adverse health effects persist or are severe. Maintain an open airway.

Most important symptoms/effects, acute and delayed

Eve contact

Adverse symptoms may include the following:

irritation watering redness

Skin contact

No specific symptoms under normal use conditions.

Ingestion

No specific symptoms under normal use conditions.

Inhalation

No specific symptoms under normal use conditions.

Notes to physician

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See toxicological information (Section 11)

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media

Use dry chemical, CO2, water spray (fog) or foam.

Unsuitable extinguishing media

Do not use water jet.

Specific hazards arising from the chemical

Highly flammable liquid and vapors. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.

Hazardous thermal decomposition products Decomposition products may include the following materials: carbon dioxide

carbon monoxide

Special fire-fighting procedures

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action should be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a

full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Initiate spill response procedures if required.

Personal protection

Put on appropriate personal protective equipment (see Section 8).

Cleaning method

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Use a water rinse for final clean-up.



7. HANDLING AND STORAGE

Handling

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See

Storage and Incompatibility Store in accordance with local regulations. Store in a segregated and approved area. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept out of reach of children. Store away from incompatible materials (see Section 10).

| Occupational exposure limits | |
|------------------------------|---|
| Ingredient name | Exposure limits |
| | CA Alberta Provincial (Canada, 4/2009). 8 hrs OEL: 1000 ppm 8 hours. 8 hrs OEL: 1880 mg/m³ 8 hours. CA Quebec Provincial (Canada, 1/2014). TWAEV: 1000 ppm 8 hours. TWAEV: 1880 mg/m³ 8 hours. CA British Columbia Provincial (Canada, 6/2017). STEL: 1000 ppm 15 minutes. CA Ontario Provincial (Canada, 7/2015). STEL: 1000 ppm 15 minutes. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 1250 ppm 15 minutes. TWA: 1000 ppm 8 hours. CA Alberta Provincial (Canada, 4/2009). 15 min OEL: 984 mg/m³ 15 minutes. 8 hrs OEL: 200 ppm 8 hours. 15 min OEL: 400 ppm 15 minutes. 8 hrs OEL: 402 mg/m³ 8 hours. CA British Columbia Provincial (Canada, 6/2017). TWA: 200 ppm 8 hours. STEL: 400 ppm 15 minutes. CA Ontario Provincial (Canada, 7/2015). TWA: 200 ppm 8 hours. |
| | STEL: 400 ppm 15 minutes. CA Quebec Provincial (Canada, 1/2014) |
| | TWAEV: 400 ppm 8 hours. TWAEV: 983 mg/m³ 8 hours. |
| | STEV: 500 ppm 15 minutes. STEV: 1230 mg/m ² 15 minutes. |
| | CA Saskatchewan Provincial (Canada, 7/2013), STEL: 400 ppm 15 minutes. |

Appropriate engineering controls

For manufacturing or industrial uses it can be appropriate to: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits.

Individual protection measures

Eye/face protection

Continued or intense exposures might required to wear safety glasses.

TWA: 200 ppm 8 hours.

Hands and Body protection

No specific protective equipment required under normal use conditions. Prolonged or severe exposures might require to wear chemical-resistant gloves.

No special protective clothing is required.

Respiratory protection

No specific protective equipment required under normal use conditions.

| | | 9. PHYSICAL AND CHEMICAL PROPERTIES | | | | |
|---------------------|------------------|-------------------------------------|------------------|----------------------|-----------------------------------|--|
| Physical state | Liquid. | рН | Not available. | Flash point | Closed cup: 20°C (68°F) | |
| Color | Colorless. | Relative density | Not available. | Melting point | [Pensky-Martens.] Not available. | |
| Odor | Alcohol-like. | Viscosity | Not available. | Boiling point | Not available. | |
| Odor threshold | Not available. | Vapor pressure | Not available. | Fire point | : Not available. | |
| Solubility in water | : Not available. | Vapor density | : Not available. | Evaporation rate | : Not available. | |



Decomposition temperature

: Not available.

Auto-ignition temperature

: Not available.

Partition coefficient: n-octanol/

: Not available.

Flammability (solid, gas)

: Not available.

Lower and upper explosive (flammable) limits

: Not available.

10. STABILITY AND REACTIVITY

Reactivity

No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

The product is stable.

Incompatible materials

Reactive or incompatible with the following materials:

oxidizing materials

Conditions to avoid

Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat

or sources of ignition.

Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Route of exposure

Not available.

Potential acute health effects

Symptoms

Eye contact

May cause eye irritation.

Adverse symptoms may include the following: irritation

watering

redness

Skin contact

No known significant effects or critical hazards.

No specific symptoms under normal use conditions.

No specific symptoms under normal use conditions.

Ingestion Inhalation No known significant effects or critical hazards.

No known significant effects or critical hazards. No specific symptoms under normal use conditions.

Toxicity data

| · · · · · · · · · · · · · · · · · · · | | | | | |
|---------------------------------------|--------------------------|---------|--------------------------|----------|--|
| Product/ingredient name | Result | Species | Dose | Exposure | |
| Ethyl alcohol | LC50 Inhalation Vapor | Rat | 124700 mg/m ³ | 4 hours | |
| | LD50 Dermal | Rabbit | >20000 mg/kg | | |
| | LD50 Oral | Rat | 7 g/kg | | |
| propan-2-ol | LD50 Dermal | Rabbit | 12800 mg/kg | - | |
| L | LD50 Oral | Rat | 5000 mg/kg | * | |

Information on toxicological effects

Mutagenicity

No known significant effects or critical hazards.

Teratogenicity

No known significant effects or critical hazards.

Developmental effects

No known significant effects or critical hazards.

Fertility effects

No known significant effects or critical hazards.

Sensitization

Not available.

Carcinogenicity

No known significant effects or critical hazards.




| Persistence and degradability | : Unknown Bioaccumulative potential : Unknown Mobility in soil | Fish - Rasbora heteromorpha : Unknown Other adverse ef | 96 hours fects: Unknown |
|-------------------------------|--|---|----------------------------------|
| propan-2-ol | Acute EC50 10100 mg/l Fresh water Acute LC50 1400000 µg/l Marine water Acute LC50 4200 mg/l Fresh water | Larvae Daphnia - Daphnia magna Crustaceans - Crangon crangon | 48 hours 48 hours |
| | Chronic NOEC 0.375 ul/L Fresh water | Neonate Fish - Gambusia holbrooki - | 12 weeks |
| | Acute LC50 42000 µg/l Fresh water Chronic NOEC 4.995 mg/l Marine water Chronic NOEC 100 ul/L Fresh water | franciscana - Larvae Fish - Oncorhynchus mykiss Algae - Ulva pertusa Daphnia - Daphnia magna - | 4 days 96 hours 21 days |
| Ethyl alcohol | Acute EC50 17.921 mg/l Marine water Acute EC50 2000 µg/l Fresh water Acute LC50 25500 µg/l Marine water | Algae - Ulva pertusa Daphnia - Daphnia magna Crustacean - Artemia | 96 hours 48 hours 48 hours |

| | 13. DISPOSAL CONSIDERATIONS |
|------------------|--|
| Disposal methods | Dispose content and container in accordance with local, regional and national regulation in force. |
| | |

| | | 14. TRANSPO | RT INFORMATION | | |
|--------------------------|-----------------------|--|------------------------------|---------------|-------------|
| | UN number | UN proper shipping name | Transport hazard class (es) | Packing group | TDG Placard |
| TDG Classification | UN1993 | 1993 Flammable liquid, n.o.s. (ethanol) | 3 | 11 | |
| roduct classified as per | the following section | ns of the Transportation of Dangerous | Goods Regulations: 2.18-2.19 | (Class 3). | |
| dditional Iformation | See shipping docum | ents for specific information on DOT, | , IMDG or IATA | | |

| | 15. REGULATORY INFORMATION | WERE TO STANK THE WAR |
|----------------------------|---|-----------------------|
| Canadian lists | | |
| Canadian NPRI | The following components are listed: Isopropyl alcohol; Ethanol | |
| CEPA Toxic substances | None of the components are listed. | |
| Canada inventory | All components are listed or exempted. | |
| International lists | | |
| United States All componen | nts are listed or exempted. | |



Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

