

Chandler 225 Thorne Avenue Saint John, NB, E2L 4L9 Canada (506) 658-8000

PRODUCT: PURPLE PUNCH

#### **SECTION 01: IDENTIFICATION**

Supplier identifier...... Chandler

225 Thorne Avenue

Saint John New Brunswick

Canada

E2L 4L9

Product identifier......PURPLE PUNCH

Restriction on use...... For industrial, institutional and food plant use only.

#### **SECTION 02: HAZARD IDENTIFICATION**





Hazard classification	Skin Corrosion — Category 1C. Serious Eye Damage — Category 1. Reproductive Toxicity
Signal Word	— Category 2. DANGER.
Signal vvoid	DANGER.
Signal Word Hazard statement	H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H361 Suspected of damaging fertility or the unborn child.
Dro coution any atatamenta	
Precautionary statements	P201 Obtain special instructions before use. P202 Do not handle until all safety
	precautions have been read and understood. P260 Do not breathe mist/vapours/spray.
	P264 Wash exposed skin thoroughly after handling. P280 Wear protective
	gloves/protective clothing/eye protection/face protection. P308+P313 IF exposed or
	concerned: Get medical advice/attention. P301+P330+P331 IF SWALLOWED: rinse
	mouth. Do NOT induce vomiting. P303+P361+P353 IF ON SKIN (or hair): Remove/Take
	off immediately all contaminated clothing. Rinse skin with water/shower. P363 Wash
	contaminated clothing before reuse. P304+P340 IF INHALED: Remove victim to fresh air
	and keep at rest in a position comfortable for breathing. P310 Immediately call a POISON
	CENTER or doctor/physician. P305+P351+P338 IF IN EYES: Rinse cautiously with water
	for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P405 Store locked up. P501 Dispose of contents/container to an approved waste disposal
	plant.
Other hazards	
Supplemental Information	Store in original container protected from direct sunlight in a dry, cool and well-ventilated

SECTION 03: COMPOSITION / INFORMATION ON INGREDIENTS					
CHEMICAL NAME AND SYNONYMS CAS # WT. %					
Alcohols, C9-11, ethoxylated	68439-46-3	3-7			
Monoethanolamine	141-43-5	1-5			
2-Butoxyethanol	111-76-2	1-5			
Sodium metasilicate	6834-92-0	1-5			
Tetrapotassium Pyrophosphate (TKPP)	7320-34-5	1-5			
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	110615-47-9	1-5			
Potassium hydroxide	1310-58-3	0.1-1			
<the a="" as="" been="" composition="" concentration="" exact="" has="" of="" secret="" trade="" withheld=""></the>	•				

area, away from incompatible materials and food and drink.

## PRODUCT: PURPLE PUNCH

# **SECTION 04: FIRST-AID MEASURES**

Routes of exposure	
Inhalation	Remove to fresh air. Administer artificial respiration if necessary. Get medical aid as soon
ı e	as possible.
Ingestion	Rinse mouth and then drink plenty of water. Do not induce vomiting. Seek medical
Chin contact	attention or call poison control immediately.
Skin contact	In case of contact, flush skin with plenty of water for at least 20 minutes. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.
	Clean shoes thoroughly before reuse.
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes.
•	Remove contact lenses, if present and easy to do. Obtain medical attention immediately.
Most important symptoms and effects, both	The most important known symptoms and effects are described in the labelling (see
acute and delayed Medical attention and special treatment	section 2) and/or in section 11.
Medical attention and special treatment	
	cause severe damage including blindness. Causes burns.

# **SECTION 05: FIRE-FIGHTING MEASURES**

Extinguishing media	Use an extinguishing agent suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Hazardous combustion products	Harmful vapours. Carbon oxides. Nitrogen oxides (NOx). phosphorus oxides. Potassium oxides. Sodium oxides. Silicone compounds.
Special protective equipment andprecautions	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Firefighters should be equipped with self-contained breathing apparatus and turn-out gear. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. Containers may explode when heated.
Sensitivity to static discharge Sensitivity to mechanical impact Further information	

## **SECTION 06: ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipmer and emergency procedures	t Wear protective equipment: goggles, chemically resistant clothing and gloves, and appropriate respirator if in a confined area. Keep people away from and upwind of spil/leak.
	Restrict access to area until completion of clean-up.
Environmental precautions	Do not allow material to contaminate ground water system. If necessary, dike well ahead of the spill to prevent runoff into drains, sewers, or any natural waterway or drinking supply. Ventilate the area. Prevent further leakage or spillage if safe to do so.
Methods and materials for containment and	d Absorb in vermiculite, dry sand or earth and place into container. Dispose of absorbed
cleaning up	material in accordance with regulations. Contaminated absorbent material may pose the same hazards as the spilled product. Clean surface thoroughly to remove residual contamination. Following product recovery, flush area with water.

#### **SECTION 07: HANDLING AND STORAGE**

Handling precautions	Use good industrial hygiene practices in handling this material. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin or on clothing. Avoid inhalation of mists/vapours/fumes. Wash thoroughly after handling. Keep container tightly closed.
Storage needs Materials to avoid	Keep in a dry, cool and well-ventilated place.  Keep away from strong acids. Keep away from oxidizing agents.

## **SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

INGREDIENTS	TWA	H TLV STEL	OSHA PEL	NPEL STEL	NIOSH REL
Alcohols, C9-11, ethoxylated	not available	not available	not available	not available	not available
Monoethanolamine	3 ppm	6 ppm	3 ppm	6 ppm	3 ppm
2-Butoxyethanol	20 ppm	not available	50 ppm	not available	not available
Sodium metasilicate	not available	not available	not available	not available	not available
Tetrapotassium Pyrophosphate (TKPP)	10 mg/m3 (inhalable)	not available	15 mg/m3 (total dust)	not available	not available
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	not available	not available	not available	not available	not available

## PRODUCT: PURPLE PUNCH

## **SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION**

		·		·	
	ACGIH TLV		OSHA PEL		NIOSH
INGREDIENTS	TWA	STEL	PEL	STEL	REL
Potassium hydroxide	ceiling: 2 mg/m3	not available	not available	not available	not available
,	0 0				
Engineering controls		Good general ventilation eye wash bottle or eye rins be equipped with an eyew	se ready at the v	changes per hour) should work place. Facilities storing the a safety shower.	be used . Have nis material should
Individual protection mea	asures		-	•	
Eye/type		Safety glasses with side-s	hields		
Gloves/type		Wear chemical resistant p			
Pospiratory/typo				te ventilation, no special hand	ding oquipment is
Respiratory/type	•••••	Under normal use condition	nis, willi auequa	te ventilation, no special nanc	aling equipment is
				a, wear a properly fitted respi	rator (NIOSH
		approved) during exposure			
Clothing/type		Wear clean long legged, lo	ong sleeved worl	k clothes.	
Footwear/type		Suitable protective footwer	ar.		
Hygiene measures		Handle in accordance with	good industrial	hygiene and safety practice.	Do not eat, drink.
, g		smoke or use cosmetics w	hile working with	h this product. Upon completi	on of work wash
		hands before eating, drink	ing smoking or	use of toilet facilities	J , Maon
		nando bororo cating, anni	ing, onloking or	doo or tonot idonitios.	

# **SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES**

Color	purple.
Odour	pungent.
Odour threshold	not available.
pH	13.5-14.
Melting point (°C)	not applicable.
Freezing point ( °C)	0.
Initial boiling point (°C)	100.
Flash point (°C), Method	>100°C, closed cup
Evaporation rate	not available.
Upper flammability limit (% vol) Lower flammability limit (% vol)	not available.
Löwer flammability limit (% vol)	not available.
Vapour pressure (mm Hg)	17.5.
Vapour density (air=1)	not available.
Relative density/Specific Gravity	1.05.
Water solubility	soluble.
Solubility in other solvents	not available.
Partition coefficient — n-octanol/water	not available.
Auto ignition temperature (°C)	> 200 °C.
Thermal decomposition temperature	not available.
Viscosity	thin liquid.

## **SECTION 10: STABILITY AND REACTIVITY**

ReactivityChemical stabilityPossibility of hazardous reactions	No hazardous reactions if stored and handled as prescribed/indicated. The product is stable if stored and handled as prescribed/indicated. No hazardous reactions when stored and handled according to instructions. The product is chemically stable. Contact with some reactive metals may produce flammable hydrogen
Conditions to avoid Incompatible materials Hazardous decomposition products	gas. Do not mix with anything but water. Acids, strong oxidizing agents. Decomposition will not occur if handled and stored properly. In case of fire, oxides of carbon (CO and CO2), fumes and smoke may be produced.

# SECTION 11: TOXICOLOGICAL INFORMATION

INGREDIENTS	LC50	LD50
Alcohols, C9-11, ethoxylated	not available	>2,000 mg/kg (oral-rat); >2,000 mg/kg (dermal-rabbit)
Monoethanolamine	20 mg/l (inhalation - rat, 4 hours)	1,500 mg/kg (oral-rat); 1,025 mg/kg (dermal-rabbit)
2-Butoxyethanol	2.2 mg/l (inhalation-rat, 4 h)	530 mg/kg (oral-rat); 450 mg/kg (dermal-rabbit)
Sodium metasilicate	not available	1152 mg/kg (oral - rat); > 5,000 mg/kg (dermal -rabbit)

SECTION	N 11: TOXICOL	OGICAL INFORMATION	
NGREDIENTS		LC50	LD50
etrapotassium Pyrophosphate (TKPP)		not available	>4,640 (dermal-rabbit)
D-Glucopyranose, oligomeric, C10-16-alkyl g	lycosides	not available	>5,000 mg/kg (oral-rat); >5,000 mg/kg (dermal-rabbit)
Potassium hydroxide		not available	273 mg/kg (oral-rat); 2000 mg/kg (dermal-rabbit)
Routes of exposure			
Inhalation	Inhalation of vapo	urs may cause irritation to the r	nose, throat and respiratory tract.
Ingestion	Ingestion may cau	ise pain, irritation and burns in	the mouth, throat and stomach.
Skin contactEye contact	Contact can cause	es irritation and possible burns.	a and parmanent loss of vision
Acute effects	Contact Can Cause	s burns, severe cornear damag	e and pennanent 1055 Of VISION.
Acute enects Acute oral toxicity	Acute toxicity estir	mate > 2.000 mg/kg. Method: c	alculation method. Virtually nontoxic after
·	a single ingestion.		•
Acute dermal toxicity	LD50 (Rabbit) : >	2,000 mg/kg. Method: calculation	on method. Virtually nontoxic after a single
A suite inhelation to visite	skin contact.		a. A.b. Minterelle manufacië besite beleden
Acute inhalation toxicity	Method: calculation		e: 4 n. virtually nontoxic by innalation.
Skin corrosion/irritation	Result: Skin corro	sion	
Serious eye damage/eye irritation	Result: Corrosive to eves		
Respiratory or skin sensitisation	Non-sensitizing.		
Specific target organ toxicity (STOT)	Based on the available information there is no specific target organ toxicity to be expected		
single exposure	after a single exposure.		
Aspiration hazard	No aspiration haza	ard expected.	
Chronic toxicity/effects Specific target organ toxicity (STOT)	No known significa	ant effects or critical hazards.	
repeated exposure	NO KNOWN SIGNING	ant effects of childal hazards.	
Carcinogenicity	No carcinogenic s	ubstances as defined by IARC	NTP_OSHA and/or ACGIH
Reproductive toxicity	2-Butoxyethanol is animals at matern	s considered fetotoxic: has caus	sed toxic reproductive effects in laboratory
Germ Cell Mutagenicity	No known signification	ant effects or critical hazards.	
Remarks	The product has n	ot been tested. The statement	has been derived from the properties of
0 (5	the individual com	ponents.	1 1 1 1 1 1 1 1 1 1 1
Symptoms of Exposure	section 2) and/or i known.	nt known symptoms and effects n section 11. Further important	s are described in the labelling (see symptoms and effects are so far not
SECTIO	N 12: ECOLOG	ICAL INFORMATION	
EcotoxicityPersistence and degradability	May cause long-te	erm adverse effects in the aqua	itic environment.
Persistence and degradability	introduced to biole	ne degradation activity of activa	ted sludge is not anticipated when
Bioaccumulative potential	No data available	ogical treatment plants in appro	phate low concentrations.
Mobility in soil	No data available.		
Other adverse effects	Very toxic to aqua	tic life with long lasting effects.	
	N 40 DIODOG		
SECTIO	N 13: DISPOSA	AL CONSIDERATIONS	

Disposal me	ethods
-------------	--------

Dispose of in accordance with national, state and local regulations. Waste disposal of substance.....

Dispose of in a licensed facility. Recommend crushing, puncturing or other means to Container disposal .....

prevent unauthorized use of used containers.

## **SECTION 14: TRANSPORT INFORMATION**

TDG classification..... UN1760 Corrosive liquids, n.o.s., (sodium metasilicate, monoethanolamine), Class 8, PGIII.

#### **SECTION 15: REGULATORY INFORMATION**

This product has been classified in accordance with the hazard criteria of the Canadian Hazardous Products Regulations and the Safety Data Sheet contains all the information required by the Hazardous Products Regulations (WHMIS 2015). This product is WHMIS WHMIS regulatory status.....

2015 controlled.

## PRODUCT: PURPLE PUNCH

## **SECTION 16: OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Disclaimer.....

CanChem Consultant 2024-10-08 Prepared by: ......Preparation date.....